

Table of Contents

| Category | Page |
|---------------|------|
| Americana | 1 |
| Century | 1 |
| Concord | 1-2 |
| Continental | 2 |
| Georgian | 2 |
| Heritage | 3 |
| Magellan | 3 |
| Naples | 4 |
| NuWave French | 4 |
| Restoration | 5 |
| Royale | 6 |
| Templeton | 7 |
| Victorian | 8 |
| Vintage | 8-9 |
| Water Onyx | |

Americana

Americana Water Filtration Faucet

Features:

- Solid Brass Material for Durability and Reliability
- Meets AB1953 Low Lead Standards
- Push-Down ON/OFF Water Control Mechanism
- Deck Mount Single-Hole Installation
- 8-7/8" Spout Height
- 3" Shank Install Height
- 1/4" Compression Inlet
- Single Inlet Cold Water Design
- Not to be used with Reverse Osmosis Filters

| Order No. | Price | Item # | Material | Finish |
|-----------|-------|--------|----------|-----------------|
| K6191 | 39.95 | K6191 | Brass | Polished Chrome |
| V 6108 | 54.05 | K 6108 | Brace | Brushad Nickal |

Century Water Filtration Faucet

Features:

- Solid Brass Material for Durability and Reliability
- Drip-Free Ceramic Disc Cartridge
- 1/4" Turn ON/OFF Water Control Mechanism
- Deck Mount Single-Hole Installation
- 11" Spout Height
- 3" Shank Install Height
- 1/4" Compression Inlet
- Single Inlet Cold Water Design
- Not to be used with Reverse Osmosis Filters

| Order No. | Price | Item# | Material | Finish |
|-----------|--------|-----------|----------|-------------------|
| KS7191CFL | 99.95 | KS7191CFL | Brass | Polished Chrome |
| KS7192CFL | 129.95 | KS7192CFL | Brass | Polished Brass |
| KS7195CFL | 129.95 | KS7195CFL | Brass | Oil Rubbed Bronze |
| KS7198CFI | 129.95 | KS7198CFI | Brass | Brushed Nickel |

Concord Water Filtration Faucet

Features:

- Solid Brass Material for Durability and Reliability
- Drip-Free Ceramic Disc Cartridge
- 1/4" Turn ON/OFF Water Control Mechanism
- Deck Mount Single-Hole Installation
- 11-1/8" Spout Height
- 3" Shank Install Height
- 1/4" Compression Inlet
- Single Inlet Cold Water Design
- Not to be used with Reverse Osmosis Filters

| Order No. | Price | ltem# | Material | Finish |
|-----------|--------|----------|----------|-------------------|
| KS8190DL | 112.95 | KS8190DL | Brass | Matte Black |
| KS8191DL | 59.95 | KS8191DL | Brass | Polished Chrome |
| KS8192DL | 112.95 | KS8192DL | Brass | Polished Brass |
| KS8193DL | 112.95 | KS8193DL | Brass | Vintage Brass |
| KS8195DL | 84.95 | KS8195DL | Brass | Oil Rubbed Bronze |
| KS8197DL | 112.95 | KS8197DL | Brass | Satin Brass |
| KS8198DL | 74.95 | KS8198DL | Brass | Brushed Nickel |







Magellan

Concord Filtration Water Air Gap Faucet

Features

- Solid Brass and Zinc Alloy Construction
- Drip-Free Ceramic Disc Cartridge
- Deck Mount Single-Hole Installation
- 7-3/16" Spout Clearance
- 5-3/4" Spout Reach
- Corrosion-Resistant Finish
- Designed for Long-Lasting Durability
- Single Lever Handle Meets ADA Guidelines
- Easy-to-Clean

| Order No. | Price | Item # | Material | Finish |
|------------|--------|------------|------------------|-------------------|
| KSAG8190DL | 139.95 | KSAG8190DL | Brass,Zinc Alloy | Matte Black |
| KSAG8191DL | 99.95 | KSAG8191DL | Brass,Zinc Alloy | Polished Chrome |
| KSAG8195DL | 119.95 | KSAG8195DL | Brass,Zinc Alloy | Oil Rubbed Bronze |
| KSAG8198DL | 119.95 | KSAG8198DL | Brass,Zinc Alloy | Brushed Nickel |

Continental Water Filtration Faucet

Features

- Solid Brass Material for Durability and Reliability
- Drip-Free Ceramic Disc Cartridge
- 1/4" Turn ON/OFF Water Control Mechanism
- Deck Mount Single-Hole Installation
- 11-1/8" Spout Height
- 3" Shank Install Height
- 1/4" Compression Inlet
- Single Inlet Cold Water Design
- Not to be used with Reverse Osmosis Filters

| Order No. | Price | Item# | Material | Finish |
|-----------|--------|-----------|----------|-------------------|
| KS8190CTL | 112.95 | KS8190CTL | Brass | Matte Black |
| KS8191CTL | 59.95 | KS8191CTL | Brass | Polished Chrome |
| KS8192CTL | 74.95 | KS8192CTL | Brass | Polished Brass |
| KS8193CTL | 112.95 | KS8193CTL | Brass | Vintage Brass |
| KS8195CTL | 74.95 | KS8195CTL | Brass | Oil Rubbed Bronze |
| KS8197CTL | 112.95 | KS8197CTL | Brass | Satin Brass |
| KS8198CTL | 74.95 | KS8198CTL | Brass | Brushed Nickel |

Georgian Water Filtration Faucet

Features:

- Solid Brass Material for Durability and Reliability
- Drip-Free Ceramic Disc Cartridge
- 1/4" Turn ON/OFF Water Control Mechanism
- Deck Mount Single-Hole Installation
- 11" Spout Height
- 3" Shank Install Height
- 1/4" Compression Inlet
- Single Inlet Cold Water Design
- Not to be used with Reverse Osmosis Filters

| Order No. | Price | Item# | Material | Finish |
|-----------|--------|----------|----------|-------------------|
| KS7191GL | 129.95 | KS7191GL | Brass | Polished Chrome |
| KS7192GL | 159.95 | KS7192GL | Brass | Polished Brass |
| KS7195GL | 159.95 | KS7195GL | Brass | Oil Rubbed Bronze |
| KS7198GL | 159.95 | KS7198GL | Brass | Brushed Nickel |







Heritage Water Filtration Faucet

Features:

- Solid Brass Material for Durability and Reliability
- Drip-Free Ceramic Disc Cartridge
- 1/4" Turn ON/OFF Water Control Mechanism
- Deck Mount Single-Hole Installation
- 11" Spout Height
- 3" Shank Install Height
- 1/4" Compression Inlet
- Single Inlet Cold Water Design
- Not to be used with Reverse Osmosis Filters

| Order No. | Price | Item # | Material | Finish |
|-----------|--------|----------|----------|-------------------|
| KS1191AL | 174.95 | KS1191AL | Brass | Polished Chrome |
| KS1192AL | 189.95 | KS1192AL | Brass | Polished Brass |
| KS1195AL | 189.95 | KS1195AL | Brass | Oil Rubbed Bronze |
| KS1198AL | 189.95 | KS1198AL | Brass | Brushed Nickel |

Magellan Water Filtration Faucet

Features:

- Solid Brass Material for Durability and Reliability
- Drip-Free Ceramic Disc Cartridge
- 1/4" Turn ON/OFF Water Control Mechanism
- Deck Mount Single-Hole Installation
- 12" Spout Height
- 3" Shank Install Height
- 1/4" Compression Inlet
- Single Inlet Cold Water Design
- Not to be used with Reverse Osmosis Filters

| Order No. | Price | Item# | Material | Finish |
|-----------|--------|-----------|----------|-------------------|
| KS2191NML | 128.95 | KS2191NML | Brass | Polished Chrome |
| KS2192NML | 170.95 | KS2192NML | Brass | Polished Brass |
| KS2195NML | 170.95 | KS2195NML | Brass | Oil Rubbed Bronze |
| KS2198NML | 170.95 | KS2198NML | Brass | Brushed Nickel |

Magellan Water Filtration Faucet

Features:

- Solid Brass Material for Durability and Reliability
- Drip-Free Ceramic Disc Cartridge
- 1/4" Turn ON/OFF Water Control Mechanism
- Deck Mount Single-Hole Installation
- 10-13/16" Spout Height
- 3" Shank Install Height
- 1/4" Compression Inlet
- Single Inlet Cold Water Design
- Not to be used with Reverse Osmosis Filters

| Order No. | Price | Item# | Material | Finish |
|-----------|-------|-----------|----------|-------------------|
| KS3191NML | 59.95 | KS3191NML | Brass | Polished Chrome |
| KS3192NML | 74.95 | KS3192NML | Brass | Polished Brass |
| KS3195NML | 74.95 | KS3195NML | Brass | Oil Rubbed Bronze |
| KS3198NMI | 74 95 | KS3198NMI | Brass | Brushed Nickel |







2

Restoration

Naples Water Filtration Faucet

Features:

- Solid Brass Material for Durability and Reliability
- Drip-Free Ceramic Disc Cartridge
- 1/4" Turn ON/OFF Water Control Mechanism
- Deck Mount Single-Hole Installation
- 11" Spout Height
- 3" Shank Install Height
- 1/4" Compression Inlet
- Single Inlet Cold Water Design
- Not to be used with Reverse Osmosis Filters

| Order No. | Price | Item # | Material | Finish |
|-----------|--------|----------|----------|-------------------|
| KS7191NL | 99.95 | KS7191NL | Brass | Polished Chrome |
| KS7192NL | 129.95 | KS7192NL | Brass | Polished Brass |
| KS7195NL | 129.95 | KS7195NL | Brass | Oil Rubbed Bronze |
| KS7198NL | 129.95 | KS7198NL | Brass | Brushed Nickel |

NuWave French Water Filtration Faucet

Features:

- Solid Brass Material for Durability and Reliability
- Drip-Free Ceramic Disc Cartridge
- 1/4" Turn ON/OFF Water Control Mechanism
- Deck Mount Single-Hole Installation
- 12" Spout Height
- 3" Shank Install Height
- 1/4" Compression Inlet
- Single Inlet Cold Water Design
- Not to be used with Reverse Osmosis Filters

| Order No. | Price | Item # | Material | Finish |
|-----------|--------|-----------|----------|-------------------|
| KS2191NFL | 108.95 | KS2191NFL | Brass | Polished Chrome |
| KS2192NFL | 150.95 | KS2192NFL | Brass | Polished Brass |
| KS2195NFL | 150.95 | KS2195NFL | Brass | Oil Rubbed Bronze |
| KS2198NFL | 150.95 | KS2198NFL | Brass | Brushed Nickel |

NuWave French Water Filtration Faucet

Features:

- Solid Brass Material for Durability and Reliability
- Drip-Free Ceramic Disc Cartridge
- 1/4" Turn ON/OFF Water Control Mechanism
- Deck Mount Single-Hole Installation
- 10-13/16" Spout Height
- 3" Shank Install Height
- 1/4" Compression Inlet
- Single Inlet Cold Water Design
- Not to be used with Reverse Osmosis Filters

| Order No. | Price | Item# | Material | Finish |
|-----------|-------|-----------|----------|-------------------|
| KS3191NFL | 69.95 | KS3191NFL | Brass | Polished Chrome |
| KS3192NFL | 84.95 | KS3192NFL | Brass | Polished Brass |
| KS3195NFL | 84.95 | KS3195NFL | Brass | Oil Rubbed Bronze |
| KS3198NFL | 84.95 | KS3198NFL | Brass | Brushed Nickel |







Restoration Water Filtration Faucet

eatures:

- Solid Brass Material for Durability and Reliability
- Drip-Free Ceramic Disc Cartridge
- 1/4" Turn ON/OFF Water Control Mechanism
- Deck Mount Single-Hole Installation
- 10-13/16" Spout Height
- 3" Shank Install Height
- 1/4" Compression Inlet
- Single Inlet Cold Water Design
- Not to be used with Reverse Osmosis Filters

| Order No. | Price | Item# | Material | Finish |
|-----------|--------|----------|----------|-------------------|
| KS3190AL | 112.95 | KS3190AL | Brass | Matte Black |
| KS3191AL | 49.95 | KS3191AL | Brass | Polished Chrome |
| KS3192AL | 64.95 | KS3192AL | Brass | Polished Brass |
| KS3193AL | 84.95 | KS3193AL | Brass | Vintage Brass |
| KS3195AL | 64.95 | KS3195AL | Brass | Oil Rubbed Bronze |
| KS3196AL | 112.95 | KS3196AL | Brass | Polished Nickel |
| KS3197AL | 112.95 | KS3197AL | Brass | Satin Brass |
| KS3198AL | 64.95 | KS3198AL | Brass | Brushed Nickel |

Restoration Water Filtration Faucet

Features:

- Solid Brass Material for Durability and Reliability
- Drip-Free Ceramic Disc Cartridge
- 1/4" Turn ON/OFF Water Control Mechanism
- Deck Mount Single-Hole Installation
- 11" Spout Height
- 3" Shank Install Height
- 1/4" Compression Inlet
- Single Inlet Cold Water Design
- Not to be used with Reverse Osmosis Filters

| Order No. | Price | Item # | Material | Finish |
|-----------|--------|----------|----------|-------------------|
| KS7191AL | 99.95 | KS7191AL | Brass | Polished Chrome |
| KS7192AL | 129.95 | KS7192AL | Brass | Polished Brass |
| KS7195AL | 129.95 | KS7195AL | Brass | Oil Rubbed Bronze |
| KS7198AL | 129.95 | KS7198AL | Brass | Brushed Nickel |

Restoration Filtration Water Air Gap Faucet

Features:

- Solid Brass and Zinc Alloy Construction
- Drip-Free Ceramic Disc Cartridge
- Deck Mount Single-Hole Installation
- 8-5/8" Spout Clearance
- 4-3/4" Spout Reach
- Corrosion-Resistant Finish
- Designed for Long-Lasting Durability
- Single Lever Handle Meets ADA Guidelines
- Easy-to-Clean

| Order No. | Price | Item # | Material | Finish |
|------------|--------|------------|------------------|-------------------|
| KSAG3190AL | 139.95 | KSAG3190AL | Brass,Zinc Alloy | Matte Black |
| KSAG3191AL | 99.95 | KSAG3191AL | Brass,Zinc Alloy | Polished Chrome |
| KSAG3195AL | 119.95 | KSAG3195AL | Brass,Zinc Alloy | Oil Rubbed Bronze |
| KSAG3198AL | 119.95 | KSAG3198AL | Brass,Zinc Alloy | Brushed Nickel |







5

4

Royale Water Filtration Faucet

Features:

- Solid Brass Material for Durability and Reliability
- Drip-Free Ceramic Disc Cartridge
- 1/4" Turn ON/OFF Water Control Mechanism
- Deck Mount Single-Hole Installation
- 11" Spout Height
- 3" Shank Install Height
- 1/4" Compression Inlet
- Single Inlet Cold Water Design
- Not to be used with Reverse Osmosis Filters

| Order No. | Price | Item# | Material | Finish |
|-----------|--------|----------|----------|-------------------|
| KS1191FL | 174.95 | KS1191FL | Brass | Polished Chrome |
| KS1192FL | 189.95 | KS1192FL | Brass | Polished Brass |
| KS1195FL | 189.95 | KS1195FL | Brass | Oil Rubbed Bronze |
| KS1198FL | 189.95 | KS1198FL | Brass | Brushed Nickel |

Royale Water Filtration Faucet

Features:

- Solid Brass Material for Durability and Reliability
- Drip-Free Ceramic Disc Cartridge
- 1/4" Turn ON/OFF Water Control Mechanism
- Deck Mount Single-Hole Installation
- 10-13/16" Spout Height
- 3" Shank Install Height
- 1/4" Compression Inlet
- Single Inlet Cold Water Design
- Not to be used with Reverse Osmosis Filters

| Order No. | Price | Item # | Material | Finish |
|-----------|---------------|----------|----------|-------------------|
| KS3191FL | 59.95 | KS3191FL | Brass | Polished Chrome |
| KS3192FL | 74 .95 | KS3192FL | Brass | Polished Brass |
| KS3195FL | 74.95 | KS3195FL | Brass | Oil Rubbed Bronze |
| KS3198FL | 74.95 | KS3198FL | Brass | Brushed Nickel |

Royale Water Filtration Faucet

Features:

- Solid Brass Material for Durability and Reliability
- Drip-Free Ceramic Disc Cartridge
- 1/4" Turn ON/OFF Water Control Mechanism
- Deck Mount Single-Hole Installation
- 11" Spout Height
- 3" Shank Install Height
- 1/4" Compression Inlet
- Single Inlet Cold Water Design
- Not to be used with Reverse Osmosis Filters

| Order No. | Price | ltem# | Material | Finish |
|-----------|--------|----------|----------|-------------------|
| KS7191FL | 109.95 | KS7191FL | Brass | Polished Chrome |
| KS7192FL | 139.95 | KS7192FL | Brass | Polished Brass |
| KS7195FL | 139.95 | KS7195FL | Brass | Oil Rubbed Bronze |
| KS7198FL | 139.95 | KS7198FL | Brass | Brushed Nickel |







Templeton Water Filtration Faucet

eatures:

- Solid Brass Material for Durability and Reliability
- Drip-Free Ceramic Disc Cartridge
- 1/4" Turn ON/OFF Water Control Mechanism
- Deck Mount Single-Hole Installation
- 10-13/16" Spout Height
- 3" Shank Install Height
- 1/4" Compression Inlet
- Single Inlet Cold Water Design
- Not to be used with Reverse Osmosis Filters

| Order No. | Price | Item # | Material | Finish |
|-----------|-------|----------|----------|-------------------|
| KS3191TL | 74.95 | KS3191TL | Brass | Polished Chrome |
| KS3192TL | 94.95 | KS3192TL | Brass | Polished Brass |
| KS3195TL | 94.95 | KS3195TL | Brass | Oil Rubbed Bronze |
| KS3198TL | 94.95 | KS3198TL | Brass | Brushed Nickel |

Templeton Water Filtration Faucet

Features:

- Solid Brass Material for Durability and Reliability
- Drip-Free Ceramic Disc Cartridge
- 1/4" Turn ON/OFF Water Control Mechanism
- Deck Mount Single-Hole Installation
- 10-13/16" Spout Height
- 3" Shank Install Height
- 1/4" Compression Inlet
- Single Inlet Cold Water Design
- Not to be used with Reverse Osmosis Filters

| Order No. | Price | Item # | Material | Finish |
|-----------|-------|-----------|----------|-------------------|
| KS3191TPL | 59.95 | KS3191TPL | Brass | Polished Chrome |
| KS3192TPL | 74.95 | KS3192TPL | Brass | Polished Brass |
| KS3195TPL | 74.95 | KS3195TPL | Brass | Oil Rubbed Bronze |
| KS3198TPL | 74.95 | KS3198TPL | Brass | Brushed Nickel |

Templeton Water Filtration Faucet

Features:

- Solid Brass Material for Durability and Reliability
- Drip-Free Ceramic Disc Cartridge
- 1/4" Turn ON/OFF Water Control Mechanism
- Deck Mount Single-Hole Installation
- 11" Spout Height
- 3" Shank Install Height
- 1/4" Compression Inlet
- Single Inlet Cold Water Design
- Not to be used with Reverse Osmosis Filters

| Order No. | Price | ltem # | Material | Finish |
|-----------|--------|----------|----------|-------------------|
| KS7191TL | 109.95 | KS7191TL | Brass | Polished Chrome |
| KS7192TL | 139.95 | KS7192TL | Brass | Polished Brass |
| KS7195TL | 139.95 | KS7195TL | Brass | Oil Rubbed Bronze |
| KS7198TL | 139.95 | KS7198TL | Brass | Brushed Nickel |







Victorian Water Filtration Faucet

Features:

- Solid Brass Material for Durability and Reliability
- Drip-Free Ceramic Disc Cartridge
- 1/4" Turn ON/OFF Water Control Mechanism
- Deck Mount Single-Hole Installation
- 11" Spout Height
- 3" Shank Install Height
- 1/4" Compression Inlet
- Single Inlet Cold Water Design
- Not to be used with Reverse Osmosis Filters

| Order No. | Price | Item # | Material | Finish |
|-----------|--------|----------|----------|-------------------|
| KS7191PL | 99.95 | KS7191PL | Brass | Polished Chrome |
| KS7192PL | 129.95 | KS7192PL | Brass | Polished Brass |
| KS7195PL | 129.95 | KS7195PL | Brass | Oil Rubbed Bronze |
| KS7198PL | 129.95 | KS7198PL | Brass | Brushed Nickel |

Vintage Water Filtration Faucet

Features:

- Solid Brass Material for Durability and Reliability
- Drip-Free Ceramic Disc Cartridge
- 1/4" Turn ON/OFF Water Control Mechanism
- Deck Mount Single-Hole Installation
- 10-13/16" Spout Height
- 3" Shank Install Height
- 1/4" Compression Inlet
- Single Inlet Cold Water Design
- Not to be used with Reverse Osmosis Filters

| Order No. | Price | Item # | Material | Finish |
|-----------|-------|----------|----------|-------------------|
| KS3191BL | 69.95 | KS3191BL | Brass | Polished Chrome |
| KS3192BL | 84.95 | KS3192BL | Brass | Polished Brass |
| KS3195BL | 84.95 | KS3195BL | Brass | Oil Rubbed Bronze |
| KS3198BL | 84.95 | KS3198BL | Brass | Brushed Nickel |

Vintage Water Filtration Faucet

Features:

- Solid Brass Material for Durability and Reliability
- Drip-Free Ceramic Disc Cartridge
- 1/4" Turn ON/OFF Water Control Mechanism
- Deck Mount Single-Hole Installation
- 11" Spout Height
- 3" Shank Install Height
- 1/4" Compression Inlet
- Single Inlet Cold Water Design
- Not to be used with Reverse Osmosis Filters

| Order No. | Price | Item # | Material | Finish |
|------------|--------|------------|----------|-------------------|
| KS7191BL | 109.95 | KS7191BL | Brass | Polished Chrome |
| KS7192BL | 139.95 | KS7192BL | Brass | Polished Brass |
| KS7195BL | 139.95 | KS7195BL | Brass | Oil Rubbed Bronze |
| K \$7198BI | 139 95 | K \$7198BI | Rrass | Brushed Nickel |







Vintage Water Filtration Faucet

Features:

- Solid Brass Material for Durability and Reliability
- Drip-Free Ceramic Disc Cartridge
- 1/4" Turn ON/OFF Water Control Mechanism
- Deck Mount Single-Hole Installation
- 10-3/8" Spout Height
- 3" Shank Install Height
- 1/4" Compression Inlet
- Single Inlet Cold Water Design
- Not to be used with Reverse Osmosis Filters

| Order No. | Price | Item # | Material | Finish |
|-----------|--------|----------|----------|-------------------|
| KS7391BL | 174.95 | KS7391BL | Brass | Polished Chrome |
| KS7392BL | 189.95 | KS7392BL | Brass | Polished Brass |
| KS7395BL | 189.95 | KS7395BL | Brass | Oil Rubbed Bronze |
| KS7398BL | 189.95 | KS7398BL | Brass | Brushed Nickel |

Water Onyx Water Filtration Faucet

Features

- Solid Brass Material for Durability and Reliability
- Drip-Free Ceramic Disc Cartridge
- 1/4" Turn ON/OFF Water Control Mechanism
- Deck Mount Single-Hole Installation
- 10-13/16" Spout Height
- 3" Shank Install Height
- 1/4" Compression Inlet
- Single Inlet Cold Water Design
- Not to be used with Reverse Osmosis Filters

| Item # | NS3190DKL |
|----------|-----------------------|
| Material | Brass |
| Finish | Black Stainless Steel |

\$112⁹⁵

Water Onyx Water Filtration Faucet

Features:

- Solid Brass Material for Durability and Reliability
- Drip-Free Ceramic Disc Cartridge
- 1/4" Turn ON/OFF Water Control Mechanism
- Deck Mount Single-Hole Installation
- 11-1/8" Spout Height
- 3" Shank Install Height
- 1/4" Compression Inlet
- Single Inlet Cold Water Design
- Not to be used with Reverse Osmosis Filters

| Item # | NS8190DKL |
|----------|-----------------------|
| Material | Brass |
| Finish | Black Stainless Steel |









Terms and Condition of Sale

Acceptance is expressly limited to the following terms and conditions, and all different and additional terms proposed by Buyer are rejected unless expressly assented to by Seller in writing. Acceptance of Kingston Brass goods constitutes acceptance of Seller's terms and conditions.

TERMS: Net 30 days upon approved credit. Accounts without satisfactory credit rating will start on a prepaid basis, by check or credit card. A 1.5% service charge per month will be added to all past due balances. If additional collection effort is required, Buyer agrees to reimburse Seller for all costs of collection, including reasonable attorney's fees. If any invoice is held in question, the balance not in question must be paid within previously mentioned terms.

FREIGHT POLICY: All goods for Resale are sold F.O.B. Chino, California. Full standard ground freight prepaid on orders of US\$1000.00 net or more. Tubs and China are included. A \$15.00 charge per order fee will be applied to handle all express shipments and freight on the same day when the official purchase order is received. The \$15.00 same day processing fee must be included on the official purchase order, non computer generated purchase order or hand written purchase orders will require signature and statement clearly stated on the purchase order for the acceptance of the charges before express shipment can be processed. Purchase orders require same day processing must be submitted on or before 12:00PM PST Monday - Friday. All Freight to be shipped prepaid and collect if overnight, 2 day air or 3 days select are requested. Shipping methods must be clearly stated on all purchase orders before the orders can be processed.

ORDERS: Minimum order is US\$50.00 net. Order less than this will incur a \$5.00 less than minimum order fee. Acceptance of this terms and condition automatically accept \$5.00 minimum order fees on all purchase order submitted by the account listed above. All purchase orders must be completed with proper model number and proper pricing listed. Purchase order without proper model number and price will not be processed until correction are made. \$5.00 less than minimum order fee must be clearly stated on all purchase orders as the acceptance of the minimum order charge or minimum order fee will be automatically added at the time of order entry. This terms and condition will be used as customers' acceptance of this charge. Refusal of this less than minimum order charge will result order holding until the balance is cleared. Computer generated purchase order with complete requirement will be processed at the time of receipt. Non computer generated purchase order, signature will be required before the purchase order can be accepted. We will back order unshipped items for the maximum period of 3 months. Back orders will not be filled automatically if the waiting period has exceeded 3 months. All receipt responsibilities apply unless notified before. A new order must be reissued for the wanted goods.

SALES TAX: All merchandise is sold to customer for resale. Buyers assume full responsibility for all taxes or other assessments imposed by any local or federal government agencies. Customers must present an adequate resale or tax exemption certificate prior to setting up an account.

CLAIMS: No claims due to shortage or shipping damages will be allowed unless reported within 3 DAYS after receipt of shipment by consignee and reported to freight company. Labor charges and /or damage incurred in installation, removal, repair, or replacement as well as incidental and consequential damages connected therewith are not covered in the warranty. Kingston Brass shall be held blameless in any claim of injury during installation of Kingston Brass products.

RETURNS: No returns will be accepted without RGA number (Return Goods Authorization). Item number, quantity to be returned and detailed reasons for return are required to obtain a RGA number. This number must appear on the outside of each returned carton for verification of receipt. ALL returned products to be shipped prepaid by customer. Return freight only to be credited if the returned item are true defective after inspection. Call Tag will only be issued if verification were provided that the error & claimed defective/damage to be our fault & error. Authorized returns, other than defective product or shipping errors, will be subject to a 25% handling and restocking charge. Authorized returns of defective material will be either replaced on a no charge basis or issued a credit memo on the basis of the price in effect when material was returned. Or at invoice price, whichever is lower. An allowance will be made for prepaid freight charges only on returns of defective merchandise. (PRE-APPROVAL REQUIRED). In 10 working days after receipt of your returned goods, credit will be issued after inspection of returned goods and found to be defective. Credit is subject to be declined or to be partial if the returned products are inspected and found with damaged products, or missing parts not match the RGA statement you had claimed on RGA request form. All return credit will be issued in the form of credit on the account to be used against customers' next purchase. No refund check will be issued by Kingston Brass.

CONSUMER'S LIMITED WARRANTIES: Kingston Brass products are guaranteed to be free from defects in function and external finish (Living Finish will vary in color) at the time of shipment. Should any Functional defects develop within 10 years(5 years for showerheads) from the date of purchase, we will, at our discretion, repair or replace the defective part or assembly when returned freight prepaid to the address below. The warranty covers only the specific use for which each item is designed. Improper use or installation will immediately void the warranty. No other liability or obligation is assumed. Severe Water Conditions may void warranty All warranty parts to be shipped freight prepaid ground service. Customer will be responsible for all warranty part freight charges if express shipping is requested.

PRICE: Prices are subject to change without notification.

DROP SHIPPING: 7% drop ship charge on all orders on other than approved destinations. This only applies to customers who were not given a drop ship discount rate at the time of account setup.

PICTURES: Pictures shown in price lists are intended as general description only. They may not present an absolute likeness to the actual product being shipped. As updates may occur.

APPLICABLE LAW: The laws of the State of California shall govern any sale.

I hereby understand and agree the terms and condition specified above by Kingston Brass.

Kingston Brass™ Faucets

(10) YEARS LIMITED WARRANTY

Kingston Brass warrants its faucets to be flawless during normal residential use. If the faucet should leak or drip during normal use, Kingston Brass will, free of charge, mail to the original owner the cartridge necessary to put the faucet in good working condition. All warranty parts to be shipped freight prepaid ground service. Customer will be responsible for all warranty part freight charges if express shipping is requested. This warranty applies only to Kingston Brass Faucets installed in the United States of America only.

Kingston Brass also warrants all other aspects of the faucet or accessories (except Oil Rubbed Bronze and Dark Bronze Finishes on color changes as part of the normal living finish behavior) to be free of defects in material and workmanship during normal residential use within (10) years from the date of purchase to its original owner. If a defect is found in normal residential use, Kingston Brass will, at its election, repair, provide a replacement part or product, or make appropriate adjustment. Damage to a product caused by accident, misuse, or abuse is not covered by this warranty. Improper care and cleaning will void the warranty. Proof of purchase (original sales receipt) must be provided to Kingston Brass with all warranty claims. Kingston Brass is not responsible for labor charges, installation, or other incidental or consequential costs. In no event shall the liability of Kingston Brass exceed the purchase price of the Faucet.

Special finishes:

Warranty does not apply to special or living surface finishes such as Oil Rubbed Bronze, Dark or Old Bronze as living finishes will change over time as a result of a normal process and may look different than at the time of purchase, therefore these items are warranted for functionality only. Oil Rubbed Bronze, Dark or Old Bronze components may vary in shade at the time of shipment. This warranty is limited to the replacement of defective parts only, labor charges and/or damage resulting from improper installation, repair or replacements, as well as incidental and consequential damages connected therewith are excluded. Any damage to this faucet as a result of misuse, abuse, neglect, accident or improper installation or any use not consistent with the instructions furnished by us, will void this warranty.

CAUTION!

- 1. Prior to installing the faucet, water lines must be flushed clean of debris and particles that may be present to avoid the clogging of cartridges or aerator causing mal-function, leakage or reduce in flow.
- 2. Warranty will be void if water lines are not properly flushed prior to installing the faucet.
- 3. Use of abrasives cleaners of any strength may damage the finish of your faucet and will void this warranty.

To obtain warranty service, contact the Dealer, Plumbing Contractor, Home Center or E-tailer, or contact Kingston Brass by calling 1-877-252-7277 or write to Attn: Warranty Department, 12775 Reservoir Street, Chino, CA 91710.

* Never use cleaners containing abrasive cleansers, ammonia, bleach, acids, waxes, alcohol, solvents or other products not recommended for chrome. This will void the warranty.



